

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20022688".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 14:32
S2	0	"20024806".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:35
S3	441	726/3.ccls. and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:35
S4	3879	(726/1-4.ccls. or 713/164,165,167,187,189,193.ccls.) and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:35
S5	1087	(determin\$3 or identify\$3) with (unreliable or unauthoriz\$2) with (context or instance or program or application or execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:18
S6	497	S5 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:17
S7	154	S6 and ((prevent\$3 or prohibit\$3) with (operation or execut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:46
S8	51	S7 and ((flag or bit) with (context or instance or program or application or execut \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:40
S9	0	S8 and ((identify\$3) with (syntax) with (\$2reliable or allowable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:19

S10	40	httpu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:41
S11	3	S10 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:40
S12	2	httpu with (restrict\$3 or unreliable or forbidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:43
S13	1293	(\$2reliable with context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:43
S14	8	S13 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:46
S15	14248	(unreliab\$2 or unauthoriz\$2) with (program or command or application or context or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:47
S16	155	S15 and ((command or program) with (syntax))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:47
S17	99	S16 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:45
S18	14	S17 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 10:48
S19	2	"4688169".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:26

S20	4313	((prevent\$3 or prohibit\$3) with (preload \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:40
S21	15776	((prevent\$3 or prohibit\$3) with (delet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:33
S22	1	S20 and ((prevent\$3 or prohibit\$3) with (access\$3) with (html or (web adj1 page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:34
S23	256	((prevent\$3 or prohibit\$3) with (access\$3) with (html or (web adj1 page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:34
S24	143	S23 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:41
S25	2	S24 and ((prohibit\$3 or prevent\$3) with access with cookie\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:36
S26	18	S20 and (buffer\$3 with (video or sound))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:41
S27	5	S26 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:43
S28	0	"6580807".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:43
S29	4	"6580870".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:43

S30	40	httpu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:49
S31	3	S30 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:45
S32	41	(determin\$3) with (invalid or error) with (http) with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:39
S33	18	S32 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:39
S34	27	(detect\$3) with (invalid or error) with (http) with (request or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:41
S35	8	S34 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:41
S36	42	(determin\$3) with (invalid or error) with (http) with (request or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:41
S37	19	S36 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:44
S38	800	(udp with http) and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:52
S39	60	S38 and ((prevent\$3 or prohibit\$3) with (operation or execut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:49

S40	8	S38 and ((prevent\$3 or prohibit\$3) with (udp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:51
S41	341	((prevent\$3 or prohibit\$3) with (udp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:51
S42	171	S41 and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:52
S43	11205	(detect\$3 or determin\$3) with (illegal or invalid or error or incorrect) with (syntax or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:35
S44	15776	(detect\$3 or determin\$3) with (illegal or invalid or error or incorrect) with (syntax or command or protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:35
S45	3879	(726/1-4.ccls. or 713/164,165,167,187,189,193.ccls.) and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:35
S46	48	S45 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:43
S47	9	S46 and ((prohibit\$3 or prevent\$3) with (execut\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:36
S48	7535	(authenticat\$2 with (program or software or command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:44
S49	386	S45 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:44

S50	10	S49 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:46
S51	10698	(determin\$3 or detect\$3) with (access or permission or root) with (level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:47
S52	6196	S51 and @ad<"20020903"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:49
S53	2066	S52 and ((spawn or execut\$3) with (command or program or software or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:48
S54	62	S53 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:55
S55	0	S54 and (su with root)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:49
S56	611	(su with root)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:49
S57	80	S56 and @ad<"20020903"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:56
S58	4358	permission with level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:55
S59	71	S58 and ((deny\$3 or prohibit\$3) with (command or execution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:56

S60	39	S59 and @ad<"20020903"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:57
S61	55	permission with syntax	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:57
S62	5	S61 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 21:57
S63	2	"6594761".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 15:37
S64	2	"20020144156".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 15:37
S65	8	("20020065914" or "5996011" or "5367704" or "20020144156").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 18:12
S66	2	"20020002688".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 14:50
S67	2	"20020004806".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 14:51
S68	5971	(713/164-167,187,189,193.ccls. or 726/1,22-24,26-27,30.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:49
S69	628668	(generat\$3 or execut\$3) with (software or program or content or application) and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:53

S70	1202	S69 and (determin\$3 or identify\$3) with (trust\$2 or reliable) with (software or application or thread or process or program or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:54
S71	162	S68 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:55
S72	583	726/22,20.ccls. and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:10
S73	49	httpu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:10
S74	12	S73 and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:11
S75	3	"6505300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:12
S76	2	"5321841".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:13
S77	2	"5390247".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:14
S78	2	"20020069411".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:15
S79	0	untrust\$2 with httpu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 15:12

S80	7	(request or command) with httpu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 15:13
S81	57	(reliable or trust\$2) with syntax and @ad<"20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 15:37

4/16/2008 12:07:54 PM

C:\Documents and Settings\ppich\My Documents\EAST\Workspaces\10673368.wsp